



## **SUMEX - 2202007 - GATO 2 TN.C/RUED.TALLER Y BRICOL.TU**

Gato hidráulico de aluminio con ACCESORIOS PARA RUEDAs que realiza una elevación mínima de 135mm y una máxima de 330 mm para 2 toneladas.

Gato hidráulico de aluminio con capacidad de soporte de hasta 2 toneladas, donde la elevación mínima es de 132mm y una máxima de 325mm. Este gato con ACCESORIOS PARA RUEDAs es capaz de elevar hasta coches con perfil bajo y permite almacenarlo gracias al poco espacio que ocupa el mango en la caja que lo acompaña. La calidad con la cual ha sido fabricado este producto le permite destacar con respecto a los gatos tradicionales, por ello dispone de homologación TUV y GS lo cual significa que cumple las expectativas con respecto a la calidad exigida por la UE o EEUU.

Hasta 2 toneladas

Certificaciones TUV y GS

Elevación mínima 135mm elevación máxima 330 mm

Dorado






# HYDRAULIC TROLLEY JACK



- Gato hidráulico em rodagem
- Cric hidráulico com rodas
- Martelo hidráulico transportador

- Hydraulic trolley jack
- Hydraulic jack with wheels
- Transporter rammer

# 2 TON







**CAT**

**2 TON**

MAXIMUM CAPACITY: 2000 LBS (907 KG)  
OPERATING PRESSURE: 3000 PSI (207 BAR)  
HYDRAULIC OIL: 32 WEIGHT GRADE  
SAFETY: ALWAYS USE PROPER LIFTING TECHNIQUE  
DO NOT EXCEED THE RATED CAPACITY

SALES: 1-800-4-A-CAT  
CUSTOMER SERVICE: 1-800-4-A-CAT  
WWW.CAT.COM

SALES: 1-800-4-A-CAT  
CUSTOMER SERVICE: 1-800-4-A-CAT  
WWW.CAT.COM

